

OCT 06 2006

Docket No. 212/786US

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

In re Application of:

HARTWICH et al.

Serial No.: 10/550,475

Art Unit: 1762

Filed: September 20, 2005

For: Method and Apparatus for
Wetting a Substrate with a
Fluid

Examiner: Sellman, Cachet I.

RESPONSE TO OFFICE ACTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This paper is responsive to the Office Action dated
September 28, 2006.


Amendments

Please amend the application as follows:

Certificate of facsimile transmission

I hereby certify that this response (along with any paper referred to as being attached or enclosed) is being facsimile transmitted to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 at the facsimile telephone number indicated below.

Fax No. 571 273 8300
Date: October 6, 2006


Marc J. Frechette, Esq.

RECEIVED
CENTRAL FAX CENTER

OCT 06 2006

Docket No. 212/786US

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

In re Application of:

HARTWICH et al.

Serial No.: 10/550,475

Art Unit: 1762

Filed: September 20, 2005

For: Method and Apparatus for
Wetting a Substrate with a
Fluid

Examiner: Sellman, Cachet I.

FACSIMILE COVER SHEET

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Fax 571 273 8300

Sir:

Faxed with this transmittal sheet please find the
following correspondence for this application:

- ☒ Response to Office Action [9] pages
- ☐ Petition for extension of time
- ☐ Other:

Please acknowledge receipt of these application papers by
affixing the Patent and Trademark Office Stamp to this sheet and
returning this sheet to our office via fax at 949 588 6172.

Date: October 6, 2006

Marc J. Frechette, Esq., 49060
Crockett & Crockett
24012 Calle De La Plata, Suite 400
Laguna Hills, CA 92653
Tel: 949 588 6171
Fax: 949 588 6172

* The information contained in this transmission is of a confidential nature and
intended only for the use of the entity to whom it is addressed. If you have received
this transmission in error, please notify us immediately and return the original
transmission to us.

Thank you.
